

# STUDIO 660P

Home Audio Loudspeaker System









## High definition imaging for high fidelity sound.

For those searching for a home audio speaker system that goes above and beyond what they've ever heard, seek no further: The new JBL Studio 6 speaker system is everything your inner audiophile could hope for. Enjoy the top-ranked sound of its PolyPlas cones; marvel at the concert-grade accuracy and power of its acoustics speaker drivers; and get electrified by its HD imaging waveguide, complete with high-frequency compression driver. It features a modern new clean look that's equally stylish and easy to set up. After JBL Studio 6, home listening will never sound — or feel — the same.

### **Features**

- ► Top-graded PolyPlas cones
- ► High-quality sounding compression drivers
- ► New, appealing form factor
- ► High-Definition Imaging Waveguide with High-Frequency Compression Driver



## STUDIO 660P

Home Audio Loudspeaker System



## **Features and Benefits**

#### Top-graded PolyPlas cones

For those who prefer their home stereo and home theater to sound precisely like it would sound at a live concert or movie theater.

#### High-quality sounding compression drivers

Compression drivers that add best-in-class clarity and detail to your sound experience.

#### New, appealing form factor

Our speaker system is pleasing to the eyes, making it a perfect match for your home décor.

**High-Definition Imaging Waveguide with High-Frequency Compression Driver** High-quality home audio helps deliver a live-concert sound directly to your home.

#### What's in the box:

1 x JBL Studio 660P – 1000 Watts Powered Subwoofer

1 x Power Cord

1 x Owner's Manual

1 x Warranty Card

1 x Safety Sheet

4 x Carpet Spikes

## **Technical Specifications:**

- ► 12" Powered sub-woofer system with 1000W amplifier
- ► 12" (305mm) PolyPlas Low-Frequency
  Woofer
- ► Power: 500W RMS (1000W Dynamic)
- ► Frequency Response: 28Hz 150Hz
- ► Crossover Frequencies: 50Hz 150Hz (variable) 24dB/octave
- Controls: Auto Power, Crossover, Level Phase
- Input: One (1) Line-Level LFE input
- Enclosure Type: Bass-Reflex via Bottom-Firing Tuned Port
- Power Requirement: 120V, 60Hz (US); 220V-230V, 50/60Hz (EU)
- ► Power Consumption (Idle/Full/Power): <0.5W (standby), 572W/2.5A (max – 230V), 600W/5.2A (max – 120V)
- ► Dimensions (W x D x H) 420 x 420 x 420mm
- ► Weight: 25.10kg

